

## CERTIFICATE OF PRODUCT 36/HWPW/965/TPC-15

In compliance with the provisions of the US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI - § 770.7 (c)(4)(i), Formaldehyde Emission Standards for Composite Wood Products, AIDIMME states that:

#### GARNICA PLYWOOD, VALENCIA DE DON JUAN, S.L.

Ctra. Valencia de Don Juan a Villafer, Km 2 24200 Valencia de Don Juan, León Spain

For the Category of Composite Wood Product: Hardwood Plywood HWPW-VC

For the product name:

Efficiency, Performance, Elegance, Tradition, Expressline, Laudio Pine Plus and Reinforced Plywood. Poplar, Eucalytus, Ilomba, Okume and Pine with decorative veneer faces

manufactured with resin code L and in the thickness range 3,5 mm up to 49 mm

Has been complying with the formaldehyde emission standard as stated in § 770.10, with the Quality Assurance and with the Quality Control test results requirements specified in Subpart C of TSCA Title VI.

#### Formaldehyde Emission Standard 0,05 ppm

This certification is valid as long as the company passes the quarterly supervision carried out by AIDIMME, and with a maximum validity of 1 year from the date of issue. This certificate supersedes certificate 36/HWPW/859/TPC-15.

Date of issue: 25<sup>th</sup> September 2024

DIMME

Dra. Rosa Mª Pérez Campos Head of Certification Department

Note: the certificate status can be checked at www.aidimme.es/ServiciosOnline/CARB-EPA/

AIDIMME. METAL-PROCESSING, FURNITURE, WOOD AND PACKAGING TECHNOLOGY INSTITUTE Tax address: Parque Tecnológico - Calle Benjamín Franklin, 13 VAT No: ESG46261590 - 46980 PATERNA (Valencia) SPAIN Phone: +34 96 136 60 70 - Fax: +34 96 136 61 85







TPC-15 TPC-APP-1487



# CERTIFICATE OF PRODUCT 37/HWPW/975/TPC-15

In compliance with the provisions of the US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI - § 770.7 (c)(4)(i), Formaldehyde Emission Standards for Composite Wood Products, AIDIMME states that:

### GARNICA PLYWOOD, BAÑOS DE RÍO TOBÍA S.A.U.

Ctra. de Lerma, km 56 26320 Baños de Río Tobía, La Rioja Spain

For the Category of Composite Wood Product: Hardwood Plywood HWPW-VC

For the product name:

Efficiency, Performance, Elegance, Tradition, Expressline, Laudio Pine Plus and Reinforced Plywood. Poplar, Eucalytus, Ilomba, Okume and Pine with decorative veneer faces

manufactured with resin code L and in the thickness range 3,5 mm up to 49 mm

Has been complying with the formaldehyde emission standard as stated in § 770.10, with the Quality Assurance and with the Quality Control test results requirements specified in Subpart C of TSCA Title VI.

#### Formaldehyde Emission Standard 0,05 ppm

This certification is valid as long as the company passes the quarterly supervision carried out by AIDIMME, and with a maximum validity of 1 year from the date of issue. This certificate supersedes certificate 37/HWPW/855/TPC-15.

Date of issue: 3<sup>rd</sup> October 2024

DIMME

Dra. Rosa Mª Pérez Campos Head of Certification Department

Note: the certificate status can be checked at www.aidimme.es/ServiciosOnline/CARB-EPA/

AIDIMME. METAL-PROCESSING, FURNITURE, WOOD AND PACKAGING TECHNOLOGY INSTITUTE Tax address: Parque Tecnológico - Calle Benjamín Franklin, 13 VAT No: ESG46261590 - 46980 PATERNA (Valencia) SPAIN Phone: +34 96 136 60 70 - Fax: +34 96 136 61 85







EPA TSCA TPC-15 TPC-APP-1487



# CERTIFICATE OF PRODUCT 39/HWPW/973/TPC-15

In compliance with the provisions of the US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI - § 770.7 (c)(4)(i), Formaldehyde Emission Standards for Composite Wood Products, AIDIMME states that:

GARNICA PLYWOOD, FUENMAYOR S.L.U.

Ctra. Navarrete, 20 26360 Fuenmayor, La Rioja Spain

For the Category of Composite Wood Product: Hardwood Plywood HWPW-VC

For the product name:

Efficiency, Performance, Elegance, Tradition, Expressline, Laudio Pine Plus and Reinforced Plywood. Poplar, Eucalytus, Ilomba, Okume and Pine with decorative veneer faces

manufactured with resin code L and in the thickness range 4,5 mm up to 47 mm

Has been complying with the formaldehyde emission standard as stated in § 770.10, with the Quality Assurance and with the Quality Control test results requirements specified in Subpart C of TSCA Title VI.

Formaldehyde Emission Standard 0,05 ppm

This certification is valid as long as the company passes the quarterly supervision carried out by AIDIMME, and with a maximum validity of 1 year from the date of issue. This certificate supersedes certificate 39/HWPW/857/TPC-15.

Date of issue: 2<sup>nd</sup> October 2024

DIMME®

Dra. Rosa M<sup>a</sup> Pérez Campos Head of Certification Department

Note: the certificate status can be checked at www.aidimme.es/ServiciosOnline/CARB-EPA/

AIDIMME. METAL-PROCESSING, FURNITURE, WOOD AND PACKAGING TECHNOLOGY INSTITUTE Tax address: Parque Tecnológico - Calle Benjamín Franklin, 13 VAT No: ESG46261590 - 46980 PATERNA (Valencia) SPAIN Phone: +34 96 136 60 70 - Fax: +34 96 136 61 85







TPC-15 TPC-APP-1487